
Vitanoire (Bim 12-499-04)

Vitanoire is an early, firm cooking potato with purple flesh and excellent taste. The tubers are oval with an average yield, tuber number and grading. The variety has exceptional resistance to late blight. It is also suitable for processing French fries.









Basic properties 8 Dormancy Foliage development 5 8 Maturity Tuber shape 0 Uniformity of tubers 8 Tuber size 6 Uniformity of size 8 Relative tubercount 7 Shallowness of eyes 7 Colour of skin Ρ Colour of flesh Ρ Early yield % 95 Mature yield % 90

Cultivation and storage (point of attention)

Seed treatment Pre-sprouting not required Plot selection Suitable for all kinds of soils Fertilisation N+++ P+ K+ Average planting distance Planting Moderate to limited coverage of foliage Cultivation 0 Metribuzin No special requirements Harvesting Normal storage Storage Normal handling Handling Point of Attention Good fertilization is required

PCN Rostochiensis	-
PCN Pallida	-
Wart disease	1
Late blight foliage	9
Late blight tuber	9
PVY	6,5
Common scab	7,5
Powdery scab	0
Fusarium	9
Tobacco Rattle Virus	8
Mechanical damage	8
Second growth	8
Bruising	7

Resistances / tolerances

Quality

Skin presentation	7
UWW	360
Dry matter %	19,7
Cooking type	А
Quality of taste	8,5
Crisps index	-
French fries index	8

PLANTERA

potato driven

Explanation

General:	9 (=favorable) 1 (=unfavorable)
Tuber shape:	R (=round) O (=oval) L (=long)
Colour:	D (=dark) Y (=yellow) L (=light) C (=cream) W (=white) R (=red) P (=purple) Br (=brown)

Segment



Input			
	<u>v</u>		
+++			

Plantera B.V. does not accept liability for any loss or damages caused by the use of this data.