# **Sherman**

Sherman is a mid-early variety with an excellent taste and high percentage big tubers. It is very suitable for baked or jacket-potatoes









## Madeleine





## **Basic properties**

Dormancy	7	PCN Rostochiensis
Foliage development	7	PCN Pallida
Maturity	6,5	Wart disease
Tuber shape	RO	Late blight foliage
Uniformity of tubers	7	Late blight tuber
Tuber size	8,5	PVY
Uniformity of size	7	Common scab
Relative tubercount	6	Powdery scab
hallowness of eyes	6,5	Fusarium
olour of skin	LY	Tobacco Rattle Virus
olour of flesh	LY	Mechanical damage
arly yield %	125	Second growth
Mature yield %	110	Bruising

**Resistances / tolerances** 

## **Cultivation and storage (point of attention)**

Seed treatment	Average pre-sprouting, strong apical domination	
Plot selection	Can be grown on all kinds of soils	
Fertilisation	N ± P + K ± Mg +	
Planting	Slightly narrow planting distance	
Cultivation	Good structure of soil is required	
Metribuzin	Not susceptible (7)	
Harvesting	Harvest with care	
Storage	Regular ventilation but not too much	
Handling	Handle with care because of size	
Point of Attention	Regular growth is important for a strong product in store	

## Quality

Skin presentation	6,5
UWW	340
Dry matter %	18,7
Cooking type	В
Quality of taste	7
Crisps index	-
French fries index	-

#### Explanation

9 (=favorable) 1 (=unfavorable) General:

Tuber shape: R (=round) O (=oval) L (=long)

D (=dark) Y (=yellow) L (=light) C Colour:

(=cream) W (=white) R (=red) P

(=purple) Br (=brown)

## Segment











Plantera B.V. does not accept liability for any loss or damages caused by the use of this data.